





DRUM CHOKES




Part No.	Rated Current (A ac)	Inductance (uH)	DCR MAX. (mΩ)	±20% (uH)	Pinφ (mm)	Dimension OD (mm)	H (mm)	Part No.	Rated Current (A ac)	Inductance (uH)	DCR MAX. (mΩ)	±20% (uH)	Pinφ (mm)	Dimension OD (mm)	H (mm)
CD1-271-202	2.00	270	160	0.60	15.5	15.5		CD4-102-301	0.30	1000	2500	0.65	8.5	10.0	
CD1-680-402	4.00	68	45	0.85	15.5	15.5		CD4-221-701	0.70	220	600	0.65	8.5	10.0	
CD1-270-602	6.00	27	20	0.95	15.5	15.5		CD4-560-122	1.20	56	150	0.65	8.5	10.0	
CD2-391-102	1.00	390	450	0.37	13.0	10.5		CD5-102-251	0.25	1000	2900	0.65	8.5	8.0	
CD2-390-302	3.00	39	50	0.65	13.0	10.5		CD5-221-571	0.57	220	630	0.65	8.5	8.0	
CD2-100-602	6.00	10	15	0.90	13.0	10.5		CD5-101-901	0.90	100	280	0.65	8.5	8.0	
CD3-102-451	0.45	1000	2000	0.80	10.5	8.5		CD6-821-251	0.25	820	5300	0.65	8.5	6.0	
CD3-221-102	1.00	220	410	0.80	10.5	8.5		CD6-221-541	0.54	220	1040	0.65	8.5	6.0	
CD3-470-202	2.00	47	100	0.80	10.5	8.5		CD6-101-811	0.81	100	520	0.65	8.5	6.0	

IRON POWDER CHOKES



Part No.	Rated Current (A ac)	Inductance (uH)	DCR MAX. (mΩ)	±15% (uH)	Pinφ (mm)	Dimension OD (mm)	H (mm)	Part No.	Rated Current (A ac)	Inductance (uH)	DCR MAX. (mΩ)	±15% (uH)	Pinφ (mm)	Dimension OD (mm)	H (mm)
CR1-800-302	3.00	160	80	90	0.70	22.0	12.0	CR4-201-502	5.00	440	200	100	1.00	35.0	20.0
CR1-500-402	4.00	100	50	50	0.80	22.0	12.0	CR4-500-103	10.00	100	50	20	1.60	35.0	20.0
CR1-300-502	5.00	60	30	30	1.00	22.0	12.0	CR4-250-153	15.00	50	25	10	1.3X2	35.0	20.0
CR2-750-402	4.00	150	75	55	0.99	26.0	12.0	CR5-251-502	5.00	500	250	120	1.00	35.0	24.0
CR2-450-502	5.00	90	45	35	1.00	26.0	12.0	CR5-650-103	10.00	130	65	24	1.60	35.0	24.0
CR2-300-602	6.00	60	30	25	1.10	26.0	12.0	CR5-300-153	15.00	60	30	12	1.3X2	35.0	24.0
CR3-800-502	5.00	160	80	50	1.00	26.0	16.0	CR6-800-103	10.00	160	80	30	1.60	40.0	20.0
CR3-400-702	7.00	80	40	25	1.20	26.0	16.0	CR6-350-153	15.00	70	35	15	1.3X2	40.0	20.0
CR3-200-103	10.00	40	20	15	1.40	26.0	16.0	CR6-200-203	20.00	40	20	10	1.6X2	40.0	20.0


HIGH SATURATION CHOKES




Part No.	Rated Current (A ac)	Inductance (uH)	DCR MAX. (mΩ)	±15% (uH)	Pinφ (mm)	Dimension OD (mm)	H (mm)	Part No.	Rated Current (A ac)	Inductance (uH)	DCR MAX. (mΩ)	±15% (uH)	Pinφ (mm)	Dimension OD (mm)	H (mm)
CH1-201-302	3.00	300	200	100	0.70	22.0	12.0	CH4-401-502	5.00	660	400	100	1.60	35.0	20.0
CH1-111-402	4.00	170	110	50	0.80	22.0	12.0	CH4-101-103	10.00	160	100	20	1.60	35.0	20.0
CH1-700-502	5.00	100	70	30	1.00	22.0	12.0	CH4-450-153	15.00	80	45	10	1.3X2	35.0	20.0
CH2-131-402	4.00	190	130	55	0.90	26.0	12.0	CH5-801-502	5.00	150	800	120	1.00	35.0	24.0
CH2-800-502	5.00	110	80	35	1.00	26.0	12.0	CH5-171-103	10.00	310	170	25	1.60	35.0	24.0
CH2-500-602	6.00	74	50	25	1.10	26.0	12.0	CH5-800-153	15.00	150	80	15	1.3X2	35.0	24.0
CH3-271-502	5.00	500	270	100	1.00	26.0	16.0	CH6-251-103	10.00	420	250	30	1.60	46.0	22.0
CH3-131-702	7.00	240	130	50	1.20	26.0	16.0	CH6-900-153	15.00	160	90	16	1.3X2	46.0	22.0
CH3-700-103	10.00	128	70	25	1.40	26.0	16.0	CH6-650-203	20.00	105	65	10	1.6X2	46.0	22.0

COMMON MODE CHOKES - TOROIDAL SHAPE


Part No.	Rated Current (A ac)	Inductance (mH)	DCR MIN. (mΩ)	MAX. (mΩ)	Wire Size (mm)	Pitch A (mm)	B (mm)
FR1-153-402	4.00	15.00	120	0.80	18.0	21.0	
FR1-902-502	5.00	9.00	100	0.90	18.0	21.0	
FR1-402-802	8.00	4.00	50	1.10	18.0	21.0	
FR2-153-402	4.00	15.00	120	0.80	18.0	16.0	
FR2-902-502	5.00	9.00	100	0.90	18.0	16.0	
FR2-402-802	8.00	4.00	50	1.10	12.0	17.0	



Part No.	Rated Current (A ac)	Inductance (mH)	DCR MIN. (mΩ)	MAX. (mΩ)	Wire Size (mm)	Pitch A (mm)	B (mm)
FR3-153-402	4.00	15.00	120	0.80	22.0	21.0	
FR3-902-502	5.00	9.00	100	0.90	22.0	21.0	
FR3-402-802	8.00	4.00	50	1.10	22.0	21.0	
FR4-502-202	2.00	5.00	100	0.65	10.0	15.0	
FR4-302-302	3.00	3.00	70	0.70	10.0	15.0	
FR4-202-502	5.00	2.00	50	0.80	10.0	15.0	




Part No.	Rated Current (A ac)	Inductance (mH)	DCR MIN. (mΩ)	MAX. (mΩ)	Wire Size (mm)	Pitch A (mm)	B (mm)
FR5-502-202	2.00	5.00	100	0.65	14.0	15.0	
FR5-302-302	3.00	3.00	70	0.70	14.0	15.0	
FR5-202-502	5.00	2.00	50	0.80	10.0	16.0	
FR6-502-102	1.00	5.00	150	0.40	8.0	13.0	
FR6-302-202	2.00	3.00	85	0.50	8.0	13.0	
FR6-102-302	3.00	1.00	35	0.60	8.0	13.0	




COMMON MODE CHOKES - E(U)T SHAPE


Part No.	Rated Current (A ac)	Inductance (mH)	DCR MIN. (mΩ)	MAX. (mΩ)	Wire Size (mm)	Pitch A (mm)	B (mm)
FT1-183-501	0.50	18.00	2.0	0.80	10.0	13.0	
FT1-103-701	0.70	10.00	1.00	0.80	10.0	13.0	
FT1-402-102	1.00	4.00	0.45	0.80	10.0	13.0	
FT2-183-801	0.80	18.00	0.90	0.80	10.0	13.0	
FT2-103-102	1.00	10.00	0.50	0.80	10.0	13.0	
FT2-562-152	1.50	5.60	0.28	0.80	10.0	13.0	



Part No.	Rated Current (A ac)	Inductance (mH)	DCR MIN. (mΩ)	MAX. (mΩ)	Wire Size (mm)	Pitch A (mm)	B (mm)
FT3-183-801	0.80	18.00	0.90	0.80	15.0	21.0	
FT3-103-102	1.00	10.00	0.50	0.80	15.0	21.0	
FT3-562-152	1.50	5.60	0.28	0.80	15.0	21.0	
FT4-163-152	1.50	16.00	0.40	0.80	10.0	13.0	
FT4-802-202	2.00	8.00	0.16	0.80	10.0	13.0	
FT4-562-252	2.50	5.60	0.12	0.80	10.0	13.0	




Part No.	Rated Current (A ac)	Inductance (mH)	DCR MIN. (mΩ)	MAX. (mΩ)	Wire Size (mm)	Pitch A (mm)	B (mm)
FT5-163-152	1.50	16.00	0.40	0.80	20.0	24.0	
FT5-802-202	2.00	8.00	0.16	0.80	20.0	24.0	
FT5-562-252	2.50	5.60	0.12	0.80	20.0	24.0	
FT6-183-202	2.00	18.00	0.30	1.20	21.0	15.0	
FT6-822-302	3.00	8.20	0.12	1.20	21.0	15.0	
FT6-472-402	4.00	4.70	0.08	1.20	21.0	15.0	




COMMON MODE CHOKES - UU SHAPE

Part No.	Rated Current (A ac)	Inductance (mH)	DCR MIN. (mΩ)	MAX. (mΩ)	Wire Size (mm)	Pitch A (mm)	B (mm)
FU1-153-201	0.20	15.00	6.00	0.60	8.0	7.0	
FU1-103-301	0.30	10.00	3.00	0.60	8.0	7.0	
FU1-402-501	0.50	4.00	2.00	0.60	8.0	7.0	
FU2-153-201	0.20	15.00	6.00	0.60	8.0	7.0	
FU2-103-301	0.30	10.00	3.00	0.60	8.0	7.0	
FU2-402-501	0.50	4.00	2.00	0.60	8.0	7.0	



Part No.	Rated Current (A ac)	Inductance (mH)	DCR MIN. (mΩ)	MAX. (mΩ)	Wire Size (mm)	Pitch A (mm)	B (mm)
FU3-103-501	0.50	10.00	1.50	0.70	13.0	10.0	
FU3-302-102	1.00	3.00	0.50	0.70	13.0	10.0	
FU3-172-132	1.30	1.70	0.30	0.70	13.0	10.0	
FU4-103-501	0.50	10.00	1.50	0.70	13.0	10.0	
FU4-302-102	1.00	3.00	0.50	0.70	13.0	10.0	
FU4-172-132	1.30	1.70	0.30	0.70	13.0	10.0	



Part No.	Rated Current (A ac)	Inductance (mH)	DCR MIN. (mΩ)	MAX. (mΩ)	Wire Size (mm)	Pitch A (mm)	B (mm)
FU5-103-102	1.00	10.00	0.50	0.70	13.0	10.0	
FU5-402-152	1.50	4.00	0.30	0.70	13.0	10.0	
FU5-202-202	2.00	2.00	0.15	0.70	13.0	10.0	
FU6-143-701	0.70	14.00	1.00	0.70	13.0	10.0	
FU6-752-102	1.00	7.50	0.55	0.70	13.0	10.0	
FU6-442-132	1.30	4.40	0.30	0.70	13.0	10.0	

